

7786-81

Countersunk square shoulder bolts, product grade C. Construction and dimensions

7786-72

21.060.10
12 8200

15 1981 . 2

01.01.82

(11—95) 7—95

1.


5 20 .
2325—80.

(
2.

1).

.1 2.

25 ✓



1

<i>d</i>	5	6	8	10	12	16	20
<i>D</i>	9	11	14	18	23	28	35
(16)	4	5	6	8	10	12	15
<i>V</i>	5	6	8	10	12	16	20
<i>l</i> < 120	16	18	22	26	30	38	46
<i>l</i> > 120	—	—	—	32	36	44	52

1,2,

1986 .,

1987 . (9—86, 8—87).

$$d = 12 \quad ,$$

$$3.6,$$

8 g, / = 60 ,

6 ,

12-60.36.016 7786-81

/	d						
	5	6	8	10	12	16	20
20		-	-	-	-	-	-
25						-	-
30						-	-
35						-	-
40							-
45							-
50							
55							
60							
65							
70							
75							
80							
90	-						
100	-	-					
110	-	-	-				
120	-	-	-				
130	-	-	-				
140	-	-	-				
150	-	-	-				
160	-	-	-	-			
170	-	-	-	-			
180	-	-	-	-			
190	-	-	-	-			
200	-	-	-	-			

- 1.
- 2.

3. — 24705—2004, —
 27148—86. — 12414—94.
 2, 3. (, . 1, 2).
 1759.1-82.

36. 6 . — 1759.2—82.
 , 36. (, . 1).
 4. d_t -

5. — 1759.0—87.

3.6, 4.6, 4.8, 5.6,

5.8 8.8.
 4, 5. (, . 1).
 6.

/,	1000 . , ,						
	<i>d,</i>						
	5	6	8	10	12	16	20
20	2,908						
25	3,498	5,240	9,66	16,40	-	-	-
30	4,080	6,086	11,20	18,84	30,19	-	-
35	4,678	6,932	12,74	21,28	33,73	-	-
40	5,268	7,777	14,28	23,72	37,27	71,71	-
45	5,859	8,621	15,81	26,16	40,81	78,04	-
50	6,448	9,466	17,35	28,61	44,35	84,37	131,7
55	7,038	10,311	18,89	31,05	47,89	91,09	141,9
60	7,628	11,156	20,43	33,49	51,43	97,62	152,1
65	8,218	12,001	21,97	35,93	54,97	104,15	162,3
70	8,808	12,845	23,51	38,38	58,51	110,67	172,6
75	9,399	13,690	25,05	40,82	62,05	117,20	182,8
80	9,989	14,535	26,59	43,26	65,59	123,73	193,1
90	-	16,225	29,67	48,27	72,67	136,78	213,5
100	-	-	32,75	56,08	79,75	149,84	234,0
110	-	-	-	58,04	86,83	162,89	254,5
120	-	-	-	62,92	93,91	175,94	274,9
130	-	-	-	67,81	100,99	188,10	295,4
140	-	-	-	72,69	108,07	202,05	315,9
150	-	-	-	77,58	115,15	215,11	336,3
160	-	-	-	-	122,23	228,16	356,8
170	-	-	-	-	129,31	241,21	377,3
180	-	-	-	-	136,39	254,26	397,7
190	-	-	-	-	143,47	267,31	418,2
200	-	-	-	-	150,55	280,36	438,7

.(, . 1).